

Carton label – Front Panel



CAUTION
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

EJLANCO * AH0359

Compudose®-G

Growth and Finishing Implants for Steers and Heifers

Each implant (3 pellets) contains: **60mg TRENBOLONE ACETATE**
12mg OESTRADIOL

This product contains a palpable marker and must only be supplied in accordance with Division 2 part 4 of the AgVet Regulations (Supply of Hormonal Growth Promotants)

FOR IMPROVED GROWTH PROMOTION IN PASTURE FED STEERS AND HEIFERS

NRA Approval No: 56075/0103

Store between 2°C and 8°C (Refrigerate. Do not freeze).

For expiry date and batch number see end flap.

Contents: 100 implants
(5 envelopes x 20 implants)

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 1 of 12

Carton label – Back Panel

DIRECTIONS FOR USE:

USE ONLY in accordance with the instructions on this label unless authorised under appropriate legislation.

Restraints:

FOR USE ONLY in steers and heifers. **DO NOT USE** in heifers which are producing or may in the future produce milk or milk products for human consumption. **DO NOT USE** this product in any other species of animal.

INSERT ONLY one implant per steer or heifer.

IMPLANT ONLY beneath the skin in the middle third of the ear. **DO NOT IMPLANT** this product in any other site.

INSERT ONLY one implant every 70 days.

It is a breach of AQIS accreditation conditions to use this product on HGP free accredited cattle or to possess this product on any HGP free accredited property (except for feedlots with flexible accreditation).

Cattle implanted with this product must be individually identified with an approved ear punch mark.

READ THE ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

Approved implantation technique is fully described in the enclosed leaflet.

Implant complete contents of a single implant (3 pellets plus marker) per animal. Implant site is beneath the skin on the back side of the middle one-third of the ear.

Precautions:

Implanting cattle under 3 months of age is NOT recommended.

Implanting cattle intended for breeding is NOT recommended as they may experience decreased fertility.

Growth responses may vary widely for nutritional or other reasons. Improved performance may be noted only when conditions are favourable for good growth.

Vaginal, rectal and preputial prolapse, increased bulling activity, high tailheads, sunken loins, ventral oedema and udder development may occur as side effects of treatment.

To help avoid abscess formation at the site of the implant, the surface of the ear should be thoroughly cleaned and disinfected before implantation.

Implanting too close to the base of the ear may cause bulling. Never sacrifice careful, clean technique for speed of implantation.

Use during the growth or finishing phase results in improved weight gain due to deposition of added lean meat.

WITHHOLDING PERIOD: MEAT - NIL

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 2 of 12

MILK – DO NOT USE in heifers which are producing or may in the future produce milk or milk products for human consumption.

04 12 03 00

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 3 of 12

Carton – Top Panel

Manufactured in U.S.A. for:
ELANCO ANIMAL HEALTH
A division of Eli Lilly Australia Pty Limited
A.B.N. 39 000 233 992
112 WHARF ROAD, WEST RYDE, NSW 2114
Tel: (toll free)1800 226 324

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 1126 (Australia-wide).

DO NOT dispose of unused implants in any way other than surrender to an approved retailer/wholesaler. Dispose of empty cartridges by wrapping with paper and putting in garbage. Discarded needles should immediately be placed in a designated 'sharps' container.

* Elanco ®, Compudose ® and the diagonal colour bar are trademarks of Eli Lilly & Company

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 4 of 12

Carton – Bottom Panel

Actions: Compudose-G is a combination of two growth promoting agents with differing modes of action. Trenbolone acetate is an anabolic steroid which is capable of increasing the accumulation of protein in animals by improving the nitrogen balance thus promoting the development of extra lean meat in the carcass. Oestradiol is a naturally occurring hormone which also acts as a growth promoter but in a totally different manner via the brain and pituitary gland. When used in combination, these compounds exert an additive effect, giving an improvement in growth rate and feed conversion superior to that of either component when used alone. The increase in bodyweight is predominantly lean meat and not fat.

Bar Code

93-23829-00274-3

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 5 of 12

Foil Pouch – Front Panel

CAUTION
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

ELANCO * AH0359

Compudose®-G

Growth and Finishing Implants for Steers and Heifers

Each implant (3 pellets) contains:
60mg TRENBOLONE ACETATE
12mg OESTRADIOL

This product contains a palpable marker and must only be supplied in accordance with Division 2 part 4 of the AgVet Regulations (Supply of Hormonal Growth Promotants)

FOR IMPROVED GROWTH PROMOTION IN PASTURE FED STEERS AND HEIFERS

NRA Approval No: 56075/0103

Store between 2°C and 8°C (Refrigerate. Do not freeze).

For expiry date and batch number see reverse.

Contents: 20 implants

← TEAR HERE →

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 6 of 12

Foil Pouch – Back Panel

TEAR HERE

DIRECTIONS FOR USE:

USE ONLY in accordance with the instructions on this label unless authorised under appropriate legislation.

Restraints:

FOR USE ONLY in steers and heifers. **DO NOT USE** in heifers which are producing or may in the future produce milk or milk products for human consumption. **DO NOT USE** this product in any other species of animal.

INSERT ONLY one implant per steer or heifer.

IMPLANT ONLY beneath the skin in the middle third of the ear. **DO NOT IMPLANT** this product in any other site.

INSERT ONLY one implant every 70 days.

It is a breach of AQIS accreditation conditions to use this product on HGP free accredited cattle or to possess this product on any HGP free accredited property (except for feedlots with flexible accreditation).

Cattle implanted with this product must be individually identified with an approved ear punch mark.

READ THE ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

Approved implantation technique is fully described in the enclosed leaflet.

Implant complete contents of a single implant (3 pellets plus marker) per animal.

Precautions:

Implanting cattle under 3 months of age is NOT recommended.

Implanting cattle intended for breeding is NOT recommended as they may experience decreased fertility.

Growth responses may vary widely for nutritional or other reasons. Improved performance may be noted only when conditions are favourable for good growth.

Vaginal, rectal and preputial prolapse, increased bulling activity, high tailheads, sunken loins, ventral oedema and udder development may occur as side effects of treatment.

To help avoid abscess formation at the site of the implant, the surface of the ear should be thoroughly cleaned and disinfected before implantation.

WITHHOLDING PERIOD: MEAT - NIL

MILK – DO NOT USE in heifers which are producing or may in the future produce milk or milk products for human consumption.

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 7 of 12

Manufactured in U.S.A. for:
ELANCO ANIMAL HEALTH
A Division of Eli Lilly Australia Pty Ltd
A.B.N. 39 000 233 992

BATCH

EXP

* Elanco ®, Compudose ® and the diagonal colour bar are trademarks of Eli Lilly & Company

04 12 02 00

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 8 of 12



CAUTION
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

ELANCO * AH0359

Compudose®-G

Growth and Finishing Implants for Steers and Heifers

Active constituent: Each implant (3 pellets) contains 60 mg trenbolone acetate and 12 mg oestradiol.

This product contains a palpable marker and must only be supplied in accordance with Division 2 part 4 of the AgVet Regulations (Supply of Hormonal Growth Promotants)

Indications: For improved growth promotion in pasture fed steers and heifers.

DIRECTIONS FOR USE:

USE ONLY in accordance with the instructions on this label unless authorised under appropriate legislation.

Restraints:

FOR USE ONLY in steers and heifers. **DO NOT USE** in heifers which are producing or may in the future produce milk or milk products for human consumption. **DO NOT USE** this product in any other species of animal.

INSERT ONLY one implant per steer or heifer.

IMPLANT ONLY beneath the skin in the middle third of the ear. **DO NOT IMPLANT** this product in any other site.

INSERT ONLY one implant every 70 days.

It is a breach of AQIS accreditation conditions to use this product on HGP free accredited cattle or to possess this product on any HGP free accredited property (except for feedlots with flexible accreditation).

Cattle implanted with this product must be individually identified with an approved ear punch mark.

Implant complete contents of a single implant (3 pellets plus marker) per animal. Implant site is beneath the skin on the back side of the middle one-third of the ear.

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 9 of 12

Leaflet (Cont'd)

Precautions:

Implanting cattle under 3 months of age is NOT recommended.

Implanting cattle intended for breeding is NOT recommended as they may experience decreased fertility.

Growth responses may vary widely for nutritional or other reasons. Improved performance may be noted only when conditions are favourable for good growth.

Vaginal, rectal and preputial prolapse, increased bulling activity, high tailheads, sunken loins, ventral oedema and udder development may occur as side effects of treatment.

To help avoid abscess formation at the site of the implant, the surface of the ear should be thoroughly cleaned and disinfected before implantation.

Implanting too close to the base of the ear may cause bulling. Never sacrifice careful, clean technique for speed of implantation.

Use during the growth or finishing phase results in improved weight gain due to deposition of added lean meat.

WITHHOLDING PERIOD: MEAT - NIL

MILK – DO NOT USE in heifers which are producing or may in the future produce milk or milk products for human consumption.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 1126 (Australia-wide).

DO NOT dispose of unused implants in any way other than surrender to an approved retailer/wholesaler. Dispose of empty cartridges by wrapping with paper and putting in garbage. Discarded needles should immediately be placed in a designated 'sharps' container.

Store between 2°C and 8°C (Refrigerate. Do not freeze).

Presentation: Compudose-G is supplied in boxes of 100 implants packaged as 5 foil pouches each containing 20 implants.

* Elanco ®, Compudose ® and the diagonal colour bar are trademarks of Eli Lilly & Company

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 10 of 12

Implantation technique using the COMPUDOSE-G Implanter

For use with Compudose-G Implants

Compudose-G Implanter

- fast and easy to use - slide-in belts for quick and easy loading
- finger-grip trigger provides outstanding comfort and control
- superb accuracy
- rugged, lightweight construction
- fast dose advancement
- 20 implants per cartridge belt means fewer reloads

Working with the Compudose-G Implanter

Loading the Implanter

Load the implanter following the **full** instructions supplied with each implanter.

Restrain the Animal

Speed of implantation as well as safety of handlers is best achieved by restraining the animal in a squeeze chute using head restraint. When implanting horned animals better control can be obtained with the additional use of nose tongs.

Prepare the Implant Site

Scrub the back side of the ear (implant site) with a piece of clean absorbent cotton which has been soaked with topical antiseptic solution. Follow manufacturer's directions on antiseptic for correct preparation and strength of solution. Avoid getting the antiseptic into the animal's eyes.

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 11 of 12

Where to Implant

The full contents of a single implant should be implanted beneath the skin on the back side of the middle one-third of the ear as illustrated in the drawing.

The implant must not be closer to the head than the edge of auricular cartilage ring farthest from the head.

The location of insertion of the needle is a point toward the tip of the ear and at least a needle length away from the intended deposition site. Avoid injuring the large arteries, veins and cartilage of the ear.

Insert the Needle

With one hand firmly grasp the ear. With the other hand insert needle point through the skin and ease forward on a lateral plane until the entire length of the needle is under the skin.

Implant the Pellets

After inserting the needle fully in the correct implant position, squeeze the trigger fully. As the needle is withdrawn from the ear, the plunger action of the implanter deposits the implant in the needle track. This procedure should prevent breakage or crushing of pellets. The length and total contact area of the single dose are designed to permit absorption of the hormones after implantation to stimulate weight gain. Broken or crushed pellets may interfere with rates of gain and may lead to undesirable side effects.

Clean the needle

Disinfect the implanter needle with an antiseptic solution prior to implanting the next animal.

Manufactured in U.S.A. for:

Elanco Animal Health
(A division of Eli Lilly Australia Pty Ltd)
ABN 39 000 233 992
112 Wharf Road, West Ryde, N.S.W. 2114
Tel: (toll free) 1800 226 324

NRA Approval No: 56075/0103

04 12 01 00

GENERIC PRODUCT NAME:	FILE NAME:	VERSION:	REVISION:	LABEL CODE	
Compudose G AH0359	56075_0103c.doc	Last printed 28/05/2003 11:30 AM	28/05/03		Page 12 of 12