

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

ELANCO AF0510



Premix



ACTIVE CONSTITUENT: 100g/kg NARASIN

As an aid to the prevention of coccidiosis caused by *Eimeria acervulina*,
E. brunetti, *E. maxima*, *E. mivati*, *E. necatrix* and *E. tenella*.

FOR USE IN BROILER CHICKEN FEEDS ONLY

25 kg NET

DISPOSAL OF BAGS: Shake and empty contents into medicated feed. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty bags in a local authority landfill. If not available bury the bag below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty bags and product should not be burnt.

Store below 30°C (Room Temperature) in a dry place.
For expiry date and batch number see side of bag

NRA Approval No. 36784/01

Member
(logo) Avcare

ELANCO ANIMAL HEALTH
A DIVISION OF ELI LILLY AUSTRALIA PTY. LIMITED
A.B.N. 000 233 992
112 WHARF ROAD, WEST RYDE, N.S.W. 2114
TEL: Toll Free 1800 226 324

USE NO HOOKS

| GENERIC PRODUCT NAME: | FILE NAME: | VERSION: | REVISION: | LABEL CODE | |
|-----------------------|---------------|----------|-----------|------------|-------------|
| Monteban 100 | 36784_01c.doc | 1 | 12/10/01 | BG7206AALB | Page 1 of 3 |

Back of bag

DIRECTIONS FOR USE

DO NOT USE in laying chickens.

DO NOT USE in turkeys or game birds.

DO NOT USE in horses or other equines - may be fatal.

Poultry consuming narasin should not be treated with tiamulin (Dynamutilin®). Severe growth depression or death may occur.

Mixing Directions:

IMPORTANT: MUST BE THOROUGHLY MIXED IN FEED BEFORE USE

Thoroughly mix 0.60kg to 0.80kg of MONTEBAN 100 Premix in one tonne of feed to provide 60-80g narasin activity per tonne of complete feed.

Thorough mixing of the MONTEBAN 100 Premix with a small quantity of finished feed (20 to 50 kg) before incorporation into the bulk of the finished feed is recommended.

Feeding Directions:

Broilers: Feed continuously as the only ration.

WITHHOLDING PERIOD: NIL

SAFETY DIRECTIONS:

Poisonous if swallowed. Will damage eyes and will irritate the nose, throat and skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. Do not inhale dust when opening the container and mixing into feed. Wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves, goggles and disposable dust mask. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 1126. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Additional information is in the Material Safety Data Sheet.

| GENERIC PRODUCT NAME: | FILE NAME: | VERSION: | REVISION | LABEL CODE | |
|-----------------------|---------------|----------|---------------|------------|-------------|
| Monteban 100 | 36784_01c.doc | 1 | : 12/10/01 | BG7206AALB | Page 2 of 3 |

Side Panel 1

E|LANCO ^{AF0510}

Monteban 100

Narasin

Premix

BG7206AALB

Side panel 2

(expiry date and batch number)

| GENERIC PRODUCT NAME: | FILE NAME: | VERSION: | REVISION | LABEL CODE | |
|-----------------------|---------------|----------|---------------|------------|-------------|
| Monteban 100 | 36784_01c.doc | 1 | : 12/10/01 | BG7206AALB | Page 3 of 3 |