

Front panel

PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

ELANCO AF0091



Premix



ACTIVE CONSTITUENT: 100g/kg TYLOSIN as the phosphate

For Use as an Aid in Controlling Enteric Diseases Susceptible to Tylosin and as an Aid in Stimulating Growth and Improving Feed Efficiency in Pigs.

For the Treatment and Prevention of Ileitis in Pigs.

NRA Approval Number 36790/0301

20 kg NET

ELANCO ANIMAL HEALTH
A DIVISION OF ELI LILLY AUSTRALIA PTY. LIMITED
A.B.N. 39 000 233 992
112 WHARF ROAD, WEST RYDE, N.S.W. 2114
TEL (Toll Free): 1800 226 324

PRODUCT NAME:	FILE NAME:	REVISION NO. & DATE	LABEL CODE	
Tylan 100	36790_0301c.doc	1.0, Created on 27/09/01 12:59	BG7174AALB	Page 1 of 3

Back Panel

ELANCO AF0091

Tylan 100

Tylosin Phosphate Premix

Member (logo) Avcare

DIRECTIONS FOR USE:

For use in pig feed only.

Mixing Directions

IMPORTANT - TYLAN 100 PREMIX MUST BE THOROUGHLY MIXED IN FEED BEFORE USE.

Recommended levels for use:

	<u>Amount of Tylan 100 Premix mixed per tonne of feed</u>	<u>Tylosin equivalent per tonne of feed</u>
1. For controlling diseases susceptible to tylosin: For young piglets, birth to 20kg, and for breeding, growing and introduced pigs	1.0 kg	100g
2. For prevention of swine dysentery: a) For breeding and growing pigs birth to 20 kg liveweight b) For breeding and growing pigs from 20 kg to market weight	1.0 kg 0.4 kg	100g 40g
3. For the treatment of ileitis. Feed for 21 days: For the prevention of ileitis:	1.0kg 0.4kg	100g 40g
4. For use as an aid in stimulating growth and improving feed efficiency: a) Up to 20kg liveweight b) 20kg to 50kg liveweight c) 50kg to market	1.0kg 0.2kg 0.1kg	100g 20g 10g

WITHHOLDING PERIOD: MEAT - NIL

PRODUCT NAME:	FILE NAME:	REVISION NO. & DATE	LABEL CODE	
Tylan 100	36790_0301c.doc	1.0, Created on 27/09/01 12:59	BG7174AALB	Page 2 of 3

Back panel (cont'd)

SAFETY DIRECTIONS: Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. Do not inhale dust. When opening the container and mixing into premixes wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and disposable mask. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 1126.

DISPOSAL OF BAGS: Shake and empty contents into medicated feed. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty bags in a local authority landfill. If not available bury the bag below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty bags and product should not be burnt.

Additional information is in the Material Safety Data Sheet.

USE NO HOOKS

Side panel

Store below 30°C (Room Temperature) in a dry place.

Expiry date:

Batch number:

PRODUCT NAME:	FILE NAME:	REVISION NO. & DATE	LABEL CODE	
Tylan 100	36790_0301c.doc	1.0, Created on 27/09/01 12:59	BG7174AALB	Page 3 of 3